

Basic Mathematics



Inequalities

R Horan & M Lavelle

The aim of this document is to provide a short, selfassessment programme for students who wish to acquire a basic competence in the use of inequalities.

 $Copyright © 2003 \ rhoran@plymouth.ac.uk\,, mlavelle@plymouth.ac.uk$

Last Revision Date: October 21, 2003

Version 1.0

Table of Contents

- 1. Inequalities (Introduction)
- 2. Rules for Inequalities
- 3. Solving Inequalities
- 4. Further Inequalities
- 5. Quiz on Inequalities Solutions to Exercises Solutions to Quizzes

Section 1: Inequalities (Introduction)

1. Inequalities (Introduction)

A number a is greater than a number b if a - b is positive. In symbols this is written as a > b.

Thus	2 > 1	because	2-1=1 is positive,
	3 > -1	because	3 - (-1) = 4 is positive,
BUT	-1 > 2 is <i>false</i>	because	-1-2=-3 is negative.

Example 1 Prove or disprove the following inequalities.

(a)
$$0.4 > \frac{1}{4}$$
, (b) $(0.7)^2 > \frac{1}{2}$.

Solution

(a) As a decimal, 1/4 = 0.25 and so 0.4 - 1/4 = 0.4 - 0.25 = 0.15, which is positive. Thus 0.4 > 1/4 is true.

(b) Here $(0.7)^2 = 0.7 \times 0.7 = 0.49$. As a fraction 1/2 is 0.5. In this case, $(0.7)^2 - 1/2 = 0.49 - 0.5 = -0.01$, which is *negative*. This means that the inequality $(0.7)^2 > 1/2$ is false.

Section 1: Inequalities (Introduction)

For this latter example we would write $(0.7)^2 < 1/2$, or in words, $(0.7)^2$ is less than 1/2. In general we say:

A number a is *less than* a number b if a - b is *negative*. In symbols this is written as a < b.

If a < b then b > a and vice versa.

Example 2 In each of the following pairs of numbers, use one of the symbols > or < to give the correct ordering of the numbers *for the order in which they appear*.

(a)
$$-1, 2,$$
 (b) $\frac{1}{4}, \frac{1}{5}$

Solution

(a) Taking a = -1 and b = 2 the difference a - b, becomes a - b = (-1) - 2 = -3, which is negative. The correct inequality is -1 < 2.

(b) In decimal form 1/4 = 0.25 and 1/5 = 0.2. Since 0.25-0.2 = 0.05, and this is positive, the correct inequality is 1/4 > 1/5.

Section 1: Inequalities (Introduction)

In addition to these two inequalities there are two further symbols, \geq and \leq . The first of these is read as *greater than or equal to* and the second as *less than or equal to*.

EXERCISE 1. For each of the following pairs of numbers use one of the symbols $>, <, \ge, \le$ to give the correct ordering *for the order in which they appear*.

(a)
$$10^2$$
, 2^{10} .
(b) $(-1)^2$, $(-1/2)^2$.
(c) 0.2 , $1/5$.
(d) $-\frac{1}{3}$, $-\frac{1}{2}$.

Here is a short quiz.

Quiz Determine which of the following inequalities is correct. (a) $3^2 > 2^3$, (b) $2^4 < 4^2$, (c) $2^5 < 5^2$, (d) $3^5 > 4^4$.

2. Rules for Inequalities

The section following this one will deal with the solution of inequalities. As with the solution of equations, there are certain rules that may be used. In the case of inequalities these are

> **Rule 1** An equal quantity may be added to, (or subtracted from) both sides of an inequality without changing the inequality. **Rule 2** An equal positive quantity may multiply (or divide) both sides of an inequality without changing the inequality. **Rule 3** If both sides of an inequality are multiplied (or divided) by a *negative* quantity then the inequality is *reversed*.

N.B. It is very important to be careful with the last rule.

Before looking at the solution of inequalities it is useful to see why the above rules hold. This is done in the following example.

Example 3 Given the (true) inequality 4 > -1, verify each of the rules (a) by adding 3 to both sides,

- (b) by subtracting 3 from both sides,
- (c) by multiplying both sides by 3,
- (d) by multiplying both sides by -3.

Solution

(a) Adding 3 to both sides gives 7 > 2, which is also true.

(b) Subtracting 3 from both sides gives 4-3 > -1-3 or 1 > -4, which is also true.

(c) Multiplying both sides by 3 gives 12 > -3, which is also true.

(d) Multiplying the inequality 4 > -1 by -3 gives, according to rule 3, $4 \times -3 < -1 \times -3$, or -12 < 3, which is correct.

Section 3: Solving Inequalities

3. Solving Inequalities

Example 4 Solve the following inequalities.

(a) x - 3 > 5, (b) 2x - 1 > 7, (c) 3 - 2x > -5.

Solution

(a) x-3 > 5, add 3 to both sides x-3+3 > 5+3, x > 8.

(b) 2x-1 > 7, add 1 to both sides 2x > 8, divide both sides by 2, x > 4.

(c) 3-2x > -5, subtract 3 from both sides -2x > -8, divide both sides by -2x < 4, rule 3 has reversed the inequality ! Section 3: Solving Inequalities

Here are some exercises on solving inequalities.

EXERCISE 2. Solve each of the following inequalities using the rules given in section 2.

 $\begin{array}{ll} ({\rm a}) \ 3x-4<5\,, & ({\rm b}) \ x+1<0\,, \\ ({\rm c}) \ 2x-6\geq 10\,, & ({\rm d}) \ 2x\geq x-3\,, \\ ({\rm e}) \ 3x+1<2x+5\,, & ({\rm f}) \ 3(x-1)>2(1-x)\,. \end{array}$

Now try this short quiz.

Quiz Which of the following is the solution to the inequality 15 - x > 7 + x? (a) x > 4, (b) x > 11, (c) x < 11, (d) x < 4. Section 4: Further Inequalities

4. Further Inequalities

Some inequalities contain more information and need further development.

Example 4 Solve the inequality

x - 10 < 2x - 2 < x.

Solution The method is the same as before but now there are **two** inequalities to solve, i.e. x - 10 < 2x - 2 and 2x - 2 < x. The first of these is solved in the left-hand column, the second in the right-hand column.

x - 10	<	2x - 2,	2x-2	<	x,
x - 10 + 2	<	2x - 2 + 2,	2x - 2 + 2	<	x+2,
x-8	<	2x,	2x	<	x + 2,
x-8-x	<	2x-x,	2x-x	<	x + 2 - x,
-8	<	x .	x	<	2.

Both of these must hold so the solution is -8 < x < 2, i.e. x must be larger than -8 and smaller than 2.

Section 4: Further Inequalities

Here are some examples for you to practise on.

EXERCISE 3. Find the solution to each of the following inequalities.

(a) $-3 \le 3x \le 18$, (b) $10 \le 2x \le x + 9$, (c) x < 3x - 1 < 2x + 7, (d) 2x - 7 < 8 < 3x - 11.

To end this section try the short quiz below.

Quiz Which *prime numbers* satisfy the inequality

 $0 \le 2w - 3 \le w + 8?$ (a) 5,7,11,13 (b) 2,5,11,17 (c) 2,3,5,7 (d) 3,7,11,13

5. Quiz on Inequalities

Begin Quiz

1. Which of the following inequalities is correct?

(a) $1/5 \ge 1/4$, (b) $1/4 \ge 0.4$, (c) $0.4 \ge 1/3$, (d) $1/3 \ge 7/25$.

2. Which set of numbers is the solution to the inequality x + 13 > 2x > x + 1?

$$\begin{array}{ll} \mbox{(a) } 1 < x < 13 \,, & \mbox{(b) } 1 < x < 13/2 \,, \\ \mbox{(c) } 13/2 > x > 1/2 \,, & \mbox{(d) } 15 > x > 2 \,. \end{array}$$

3. Which *prime number* satisfies 5 + 2x < 3x < 15 + x? (a) 7 , (b) 11 , (c) 3 , (d) 5 .

Exercise 1(a)

 $10^2 = 100$ and $2^{10} = 1024$, so $10^2 < 2^{10}$.

Exercise 1(b)

$$(-1)^2 = 1$$
 and $(-1/2)^2 = 1/4$ so $(-1)^2 > (-1/2)^2$.

Exercise 1(c)

In decimal form 1/5 = 0.2 so $0.2 \ge 1/5$ and $0.2 \le 1/5$ are both true.

Exercise 1(d)

The solution to this can be obtained by converting the fractions to decimals as in previous cases. It may also be obtained using fractions, by writing both with the same denominator 6.

Then

$$\begin{array}{rcl}
-\frac{1}{2} = -\frac{1 \times 3}{2 \times 3} = -\frac{3}{6}, & \text{and} & -\frac{1}{3} = -\frac{1 \times 2}{3 \times 2} = -\frac{2}{6}.\\
& & -\frac{1}{2} - \left(-\frac{1}{3}\right) = -\frac{3}{6} - \left(-\frac{2}{6}\right) = -\frac{3}{6} + \frac{2}{6},\\
& & = -\frac{3}{6} + \frac{2}{6} = -\frac{1}{6},
\end{array}$$

which is negative. The correct inequality is therefore

$$-\frac{1}{2} < -\frac{1}{3}$$
.

Exercise 2(a)

Exercise 2(b)

Exercise 2(c)

$$\begin{array}{rcrcrcr} 2x - 6 & \geq & 10 \\ 2x - 6 + 6 & \geq & 10 + 6 \\ 2x & \geq & 16 \\ x & \geq & 8 \, . \end{array}$$

Exercise 2(d)

 $\begin{array}{rcl} 2x & \geq & x-3 & \text{subtract } x \text{ from both sides} \\ 2x-x & \geq & x-3-x \\ & x & \geq & -3 \,. \end{array}$

Exercise 2(e)

$$3x + 1 < 2x + 5$$

$$3x + 1 - 1 < 2x + 5 - 1$$

$$3x < 2x + 4$$

$$3x - 2x < 2x + 4 - 2x$$

$$x < 4.$$

Exercise 2(f)

In this case the brackets must first be removed using the standard rules - see the package on **brackets**.

Exercise 3(a)

Here there are two inequalities to be solved, $-3 \leq 3x$ and $3x \leq 18$. The first of these is

 $\begin{array}{rrrr} -3 & \leq & 3x \,, \mbox{ divide both sides by 3} \\ -1 & \leq & x \,. \end{array}$

The second is

$$\begin{array}{rcl} 3x & \leq & 18 \,, & {\rm divide \ both \ sides \ by \ 3} \\ x & \leq & 6 \,. \end{array}$$

In both of the above inequalities the divisor is 3, which is positive, so the division does not reverse the inequalities.

The solution to the inequality is thus $-1 \le x \le 3$,.

Exercise 3(b)

There are two inequalities here, $10 \le 2x$ and $2x \le x + 9$. The first is

$$\begin{array}{rrrr} 10 & \leq & 2x \,, & {\rm divide \ both \ sides \ by \ 2} \\ 5 & \leq & x \,. \end{array}$$

The second is

 $2x \leq x+9$, subtract x from both sides $x \leq 9$.

The solution to the inequality is $5 \le x \le 9$.

Exercise 3(c) Here there are two inequalities, x < 3x - 1 and 3x - 1 < 2x + 7. They are solved as follows.

x	<	3x - 1,	adding 1
x + 1	<	3x,	subtracting x
1	<	2x,	dividing by 2
1/2	<	x .	

3x - 1	<	2x + 7,	adding 1
3x	<	2x + 8,	subtracting $2x$
x	<	8.	

The solution to the inequality is 1/2 < x < 8.

Exercise 3(d)

The two inequalities in this case are 2x - 7 < 8 and 8 < 3x - 11. The solution to each is

- - 8 < 3x 11, add 11 19 < 3x, divide by 3 19/3 < x.

The solution to this is 19/3 < x < 15/2.

Solutions to Quizzes

Solutions to Quizzes

Solution to Quiz:

The solution to this is obtained from

 $3^2 = 9$ and $2^3 = 8$

and 9 > 8.

Solution to Quiz:

The solution is as follows.

$$\begin{array}{rcl}
15 - x &> 7 + x \\
15 - x + x &> 7 + x + x \\
15 &> 7 + 2x \\
15 - 7 &> 7 + 2x - 7 \\
8 &> 2x \\
4 &> x & \text{or equivalently} \\
x &< 4.
\end{array}$$

The first step in this solution was adding x to both sides so that (*the positive*) 2x appears on the right. This meant that the subsequent division was by the *positive* number 2. Division by positive numbers is always preferable as it generally leads to fewer mistakes.

Solution to Quiz:

As in previous cases there are two inequalities to be solved, $0 \le 2w-3$ and $2w-3 \le w+8$. The solution to each of these is

so $3/2 \le w \le 11$. The *prime numbers* in this range are 2,3,5,7,11 which includes ALL those of part (c) but not all of the other choices on offer.